



RP-HPLC ASSAY METHOD DEVELOPMENT AND VALIDATION FOR SIMULTANEOUS ESTIMATION OF GABAPENTIN AND METHYLCOBALAMIN IN TABLET DOSAGE FORMS

ABSTRACT

A simple, selective, linear, precise, and accurate RP-HPLC method was developed and validated for the simultaneous estimation of Gabapentin & Methylcobalamin from bulk and formulation. Chromatographic separation was achieved isocratically on a Waters C₁₈ column (250x4.6, 5μ particle size) using a mobile phase Orthophosphoric acid: methanol in the ratio of 50:50 v/v. The flow rate was 0.8 ml/min and effluent was detected at 275 nm and 10μl of sample was injected. Rt of Gabapentin & Methylcobalamin was found to be 2.9 and 4.4 min respectively. Linearity of the method was in the concentration range of 50-150 % for Gabapentin & Methylcobalamin. Percent recoveries obtained for both the drugs were 100.00%. The percentage RSD for precision of the method was found to be less than 2%. The method was validated according to the ICH guidelines. The method developed was successfully applied for the analysis of simultaneous estimation of Gabapentin & Mecobalamine tablets.

Keywords: Gabapentin, Methylcobalamin, Methanol, orthophosphoric acid.

**Sarojamma.M*,
Sathya Sowmya. P,
Abdul Ahad. H**

Balaji College of Pharmacy,
Ananthapuram, A.P, India

INTRODUCTION:

Gabapentin (Figure 1) is 2-[1-(amino methyl) cyclohexyl] acetic acid¹. It is an anticonvulsant drug for neuropathic pain and adjunct for seizures. It can be used in generalized anxiety disorders. Methylcobalamin (Figure 2) is (carbanide; cobalt; [5-5, 6-dimethyl benzimidazol-1- yl)-4-hydroxy-2-(hydroxymethyl) oxolan-3-yl] 1-[3- [2,13,18-tris (2-amino-2- oxoethyl)- 7,12,17- tris(3-amino- 3-oxopropyl)-3, 5, 8, 8, 13, 15, 18, 19- octamethyl-2, 7, 12, 17 tetra hydrocorrin-3-yl] propanoyl amino] propan-2-yl hydrogen phosphate². It is a form of Vit-B12. It is a water soluble vitamin with a key role in the normal functioning of brain, and nervous system. It has been shown to protect those who take it from neurological conditions and ageing in a way that it makes different from other drugs or therapies³.

Address for correspondence

Sarojamma. M*,
Balaji College of Pharmacy,
Ananthapuram,
Andhra Pradesh, Mob: 9581884379
E-mail: Sailum04@gmail.com




Figure 1: Chemical Structure of Gabapentin




Figure 2: Chemical Structure of Methylcobalamin

Literature survey revealed HPTLC³, UV⁴⁻⁵, HPLC⁶⁻⁹ methods for the estimation of Gabapentin and Methylcobalamin. The present study aims to develop simple, accurate, precise and selective RP-HPLC assay procedure for the analysis of

Gabapentin and Methylcobalamin in bulk drug samples and in combined dosage. The method is optimized and validated as per the International conference on Harmonization (ICH) guidelines¹⁰.

Materials and Methods:

Quantitative HPLC was performed on Agilent 1220 infinity HPLC system connected with PDA Detector 2998 and Empower-2 Software. Analytical column was Agilent Zorbax C18 (250 X 4.6 mm, 5 μ) Column. Pharmaceutical grade Gabapentin and Methylcobalamin were kindly supplied as a gift sample by Newland Laboratories, Hyderabad, and Andhra Pradesh, India. Methanol was of HPLC grade and Purchased from Merck, Darmstadt, Germany. Ortho phosphoric acid and orthophosphoric acid was analytical reagent grade supplied by Fischer Scientific Chemicals. Water HPLC grade was obtained from a Milli-Q-RO water purification system. Gabapentin and methylcobalamin Tablets (Nurokind G, gabapentin (300 mg), methylcobalamin (500mg) Make: Mankind Parma, New Delhi, India) was purchased from the local market.

Preparation of Ortho phosphoric acid buffer:

Accurately weighed 6.8 gms of potassium dihydrogen Ortho-phosphate in a 1000 ml standard flask and dissolved in minimum quantity milli-Q water and finally the volume was made upto the mark with the same. pH was adjusted to 2.2 with 0.1 N HCl.

Preparation of mobile phase:

600 ml of above buffer solution was transferred into a 1000 ml volumetric flask, to this 400ml of methanol was added, shaken well, filtered and degassed.

Preparation of standard solutions:

Accurately weighed 600 mg of gabapentin and 1mg of methylcobalamin were dissolved in mobile phase and sonicated for 10 min room temperature, later the volume made upto 50 ml in volumetric flasks. For simultaneous quantitative studies of both drugs, a series of standard working solutions containing both the drugs were prepared by an appropriate dilution of a mixture of stock solutions.

Preparation of sample solution:

A powder equivalent to 809 mg was accurately weighed, transferred into a 50 ml volumetric flask containing mobile phase. The above mixture was sonicated for about 10 min for complete mixing. This solution was filtered through Whatman No.1 filter paper. From the filtrate different aliquots were taken in separate 10 ml volumetric flasks and diluted with mobile phase up to the mark so as to get a concentration ranging from 50-150 μ g/ml each of gabapentin and methylcobalamin. Each of these solutions (10 μ l) was then injected three times into the column. The mean peak areas of each drug were calculated and the drug contents in the tablets were quantified using the respective regression equations.

Method validation

The proposed method was validated as per ICH guidelines¹¹.

Specificity (Forced decomposition studies)

Specificity is the ability of the method to measure the analyte response in the presence of its excipients. The specificity of the developed LC method for gabapentin and Methylcobalamin was carried out in the presence of its degradants. Stress studies were performed for on tablets to provide an indication of the stability-indicating property and specificity of the proposed method. Intentional degradation was attempted with a stress condition of UV light (254 nm), acid (0.5N HCl), base (0.5N NaOH) and oxidation (3.0% H₂O₂) to evaluate the ability of the proposed method to separate analytes from its degradation product. For light studies, study period was 10 days whereas for hydrolytic, acid, base and oxidation, it was 24 h. Peak purity test was carried out for the gabapentin and Methylcobalamin peak by using PDA detector in stress samples.

Precision

The precision of the method verified by repeatability and by intermediate precision. Repeatability was checked by injecting six individual preparations of gabapentin and Methylcobalamin real sample (tablets). The intermediate precision of the method was also evaluated using different analyst and performing the analysis on different days. Precision of assay method was evaluated by carrying out six independent assays of real sample of gabapentin and Methylcobalamin at 100 μ g/ml level against qualified reference standard. The intermediate precision of the assay method was evaluated by different analysts by making use of different columns and different lot of the sample.

Linearity

Linearity test solutions for the assay method were prepared from gabapentin and Methylcobalamin stock solution at six concentration levels from 50 to 150% of assay analyte concentration (50, 75, 100, 125 and 150 μ g/ml). The peak area versus concentration data was treated by least-squares linear regression analysis. Linearity test solutions for the method were prepared by diluting stock solution to the required concentrations.

Accuracy

Accuracy of the assay method was evaluated in triplicate using three concentration levels 50, 100 and 150 μ g/ml on real sample (tablets). Standard addition and recovery experiments were conducted on real sample to determine accuracy the method. Study was carried out in triplicate using three (50, 100 and 150%) concentration levels. The percentages of recoveries for gabapentin and Methylcobalamin were calculated.

Robustness

To determine the robustness of the developed method, experimental conditions were deliberately altered and the system suitability parameters were evaluated. Tailing factor for gabapentin and Methylcobalamin was recorded. The flow rate of the mobile phase was 0.8 ml/min, to study the effect of flow rate on the retention time, flow was changed by ± 0.2 units from 0.6 to 1.0 ml/min. The effect of the column temperature on retention time was studied at 25 and 35 °C.

RESULTS AND DISCUSSION:

The absorption wavelength for Gabapentin and Methylcobalamin is determined after several trials. The absorbance spectra of the diluted standard and working solutions of Gabapentin and Methylcobalamin in methanol are recorded on a UV spectrophotometer. They are scanned in the wavelength 200 nm - 400 nm range using quartz cuvettes with 10 mm path length. The maximum absorption wavelength was observed at 275 nm for

the two drugs. This is in good agreement with the reported wavelengths for these drugs combination.

Specificity (Forced decomposition studies)

Gabapentin and Methylcobalamin was found to degrade significantly in acid hydrolysis and in base hydrolysis and mild degradation was observed in UV and peroxide stress conditions. Figure 3a, 3b shows the representative chromatogram of standard and sample gabapentin and Methylcobalamin respectively. Photodiode array detector was employed to check and ensure the homogeneity and purity of gabapentin and Methylcobalamin peak in all the stressed sample solutions. Assay studies were carried out for stress samples against gabapentin and Methylcobalamin qualified working standard. The results are presented in Table 1. The purity and assay of gabapentin and Methylcobalamin was unaffected by the presence of its degradation products and thus confirms the stability-indicating power of the developed method.




Figure 3. Representative chromatograms of a) Standards of Gabapentin and mecobalamin
b) Tablet sample of Gabapentin and mecobalamin

Table 1: Data of Forced decomposition studies

| Parameter | Area of Gabapentin | % Assay of Gabapentin | % Degradation of Gabapentin | Area of mecobalamin | % Assay of mecobalamin | % Degradation of mecobalamin |
|-----------|--------------------|-----------------------|-----------------------------|---------------------|------------------------|------------------------------|
| Acid | 2917192 | 67 | -32 | 3109695 | 70 | -30 |
| Base | 2648221 | 61 | -38 | 3231239 | 73 | -27 |
| Peroxide | 2527496 | 58 | -41 | 3227403 | 73 | -27 |
| Sunlight | 2970691 | 68 | -31 | 4110524 | 93 | -7 |
| Heat | 3968873 | 91 | -8 | 4125196 | 93 | -7 |

Precision

The % RSD during the method precision study of Gabapentin was 0.14 and 0.06% for retention time and Peak area respectively and 0.16 % and 0.34 % for retention time and Peak area of Methylcobalamin

respectively. The % RSD for the area of Gabapentin and Methylcobalamin were well within 2 %, conforming good precision of the method. The % RSD values are presented in Table 2.

Table 2: Precision data

| S.no | Gabapentin | | Mecobalamin | |
|------------|------------|------------|-------------|------------|
| | RT | Area | RT | Area |
| injection1 | 2.902 | 577331 | 4.466 | 135567 |
| injection2 | 2.912 | 577845 | 4.478 | 135737 |
| injection3 | 2.905 | 576963 | 4.475 | 135338 |
| injection4 | 2.908 | 577681 | 4.468 | 136090 |
| injection5 | 2.902 | 578037 | 4.466 | 136098 |
| Injection6 | 2.902 | 577669 | 4.467 | 134898 |
| Mean | 2.905 | 577587.667 | 4.470 | 135621.333 |
| Std. Dev. | 0.004 | 384.586 | 0.005 | 461.883 |
| % RSD | 0.142 | 0.067 | 0.116 | 0.341 |

Linearity

Linear calibration plot for above method was obtained over the calibration range 50 µg/ml to 150 µg/ml. The results show that an excellent correlation existed between the peak area and concentration of the analyte.

Table 3: Linearity data

| S.no | Conc.(µg/ml) | Gabapentin | Conc.(µg/ml) | Mecobalamin |
|---|--------------|------------|---|-------------|
| | | Peak Area | | Peak Area |
| 1. | 1200 | 587801 | 50 | 135451 |
| 2. | 1800 | 880166 | 75 | 203858 |
| 3. | 2400 | 1174368 | 100 | 271112 |
| 4. | 3000 | 1468744 | 125 | 339640 |
| 5. | 3600 | 1765133 | 150 | 397235 |
| Slope | | 490.54 | Slope | |
| Intercept | | 2054.4 | Intercept | |
| Correlation coefficient (r ²) | | 1 | Correlation coefficient (r ²) | |
| | | | 0.999 | |

Accuracy

Accuracy was determined by analyzing a sample of known concentration (reference standard solutions) and comparing the measured value with the true value, and using the method of standard additions. A table 3 summarizes the accuracy results, expressed as percent recovery. The method showed good recovery.

Table 3: Results of Accuracy

| S. No | Analyte | Accuracy Level | Sample weight | Amount added (µg/ml) | Amount Found (µg/ml) | % Recovery | % Mean |
|-------|-------------|----------------|---------------|----------------------|----------------------|------------|--------|
| 1 | Gabapentin | 50% | 404.60 | 237.840 | 237.87 | 100 | 100 |
| 2 | | 100 % | 809.00 | 475.562 | 476.38 | 100 | |
| 3 | | 150% | 1213.60 | 713.402 | 712.90 | 100 | |
| 4 | Mecobalamin | 50% | 50 | 0.399 | 0.40 | 100 | 100 |
| 5 | | 100 % | 100 | 0.797 | 0.80 | 100 | |
| 6 | | 150% | 150 | 1.196 | 1.20 | 100 | |

Robustness

The robustness of an analytical procedure is a measure of its capacity to remain unaffected by small, but deliberate, variations in method parameters, and provides an indication of its reliability during normal usage. In order to perform the robustness study of the proposed method deliberate modifications in flow rate and column temperature were made. The results are shown in Table 4. It can be seen that every employed

condition, the chromatographic parameters are in accordance with established value. A change of ± 0.2 unit of flow rate and column temperature had no impact on chromatographic performance (Table 4). According to the data of robustness test study proposed criteria for system suitability test (tailing factors, theoretical plates number and repeatability (R.S.D.)). It is used to verify that the repeatability of the system are adequate for the analysis intended.

Table 4: Results of Robustness

| Parameter | Gabapentin | | | Mecobalamin | | |
|--|------------|--------------------|-----------|-------------|--------------------|-----------|
| | RT | Theoretical plates | Asymmetry | RT | Theoretical plates | Asymmetry |
| Decreased flow rate(0.8ml/min) | 4.077 | 1664871 | 1.2 | 6.288 | 13848 | 1.1 |
| Increased flow rate(1.2ml/min) | 2.260 | 1667389 | 0.9 | 3.490 | 12780 | 1.0 |
| Decreased temperature(25 ^o c) | 4.001 | 1667845 | 0.8 | 6.278 | 11932 | 1.0 |
| Increased temperature(35 ^o c) | 4.084 | 1669852 | 0.9 | 6.282 | 11110 | 0.9 |

Detection and Quantification Limit:

Limit of detection (LOD) which represents the concentration of analyte at S/N ratio of 3 and limit

of quantification (LOQ) at which S/N is 10 were determined experimentally for the proposed methods and results are given in Table 5.

Table 5: LOD and LOQ

| s.no | Sample name | LOD($\mu\text{g/ml}$) | LOQ ($\mu\text{g/ml}$) |
|------|-------------|-------------------------|--------------------------|
| 1 | Gabapentin | 2.44 | 8.15 |
| 2 | Mecobalamin | 5.68 | 1.89 |

Assay:

The proposed validated method was successfully applied to determine Gabapentin and

Methylcobalamin in tablet dosage form. The result obtained was comparable with corresponding labeled amounts. The results were shown in table 6.

Table 6: Results of Assay

| Sample no. | Gabapentin | | Mecobalamin | |
|------------|------------|--------|-------------|--------|
| | Area | %Assay | Area | %Assay |
| 1 | 577331 | 99 | 135567 | 99 |
| 2 | 577845 | 99 | 135737 | 99 |
| 3 | 576963 | 100 | 135338 | 99 |
| 4 | 577681 | 100 | 136090 | 99 |
| 5 | 578037 | 100 | 136098 | 99 |
| 6 | 577669 | 100 | 134898 | 99 |
| Mean | 2892778.50 | 100 | 4387169.67 | 99 |
| Std. Dev. | 3047.26 | 0.10 | 2228.45 | 0.05 |
| % RSD | 0.11 | 0.11 | 0.05 | 0.05 |

CONCLUSION:

The wide linearity range, Accuracy, Short retention times, & Simple Mobile phase imply that the proposed method can be successfully employed for routine quantification of Gabapentin and Methylcobalamin in combined dosage form. The method is economic too as the cost of mobile phase used is less compared to costly solvents that has to be used like acetonitrile for the quantification of Gabapentin and Mecobalamin. Also the forced degradation studies imply that this method is Stability Indicating Method development & validated according to ICH guidelines, one can adopt in an industry confidently for routine analysis.

REFERENCES:

1. Stephen V. Sobel (5 November 2012). Successful Psychopharmacology: Evidence-Based Treatment Solutions for Achieving Remission. W. W. Norton. p. 124. ISBN 978-0-39370857-8.

2. The Merck Index, an encyclopedia of chemicals, drugs and biological. Fourteenth Edn USA; 2006.
3. Baheti KG and Galande VR. Validated Simultaneous Estimation of Gabapentin in the Presence of Methylcobalamin in Tablet by HPTLC Method; International Journal of Research in Pharmaceutical and Biomedical Sciences, 2(3), 2011, 1199-1202.
4. Sharma MC, Sharma S, Sharma AD. Simultaneous Estimation and Validation of Gabapentin and Methylcobalamin in Tablet Dosage form: hydrotropic approach; Drug Invention Today, 3, 2011, 95-97.
5. Varsha RG, Baheti KG, Dehghan MH. UV-Vis Spectrophotometric method For Estimation of Gabapentin and Methylcobalamin in Bulk and Tablet. International Journal of Chem Tech Research, 2, 2010, 695-699.

6. Syed SQ, Mohammed MAS, Ehab YA, Mohammed A, Abudhabi. Validation of an Isocratic HPLC Assay of Gabapentin in Pharmaceutical formulations and Stress test for Stability of Drug Substance. *Scholars Research Library*, 3(4), 2011, 342- 350.
7. Saravanan J, Shajan A, Joshi NH, Varatharajan R and Valliappan K. A Simple and validated RP-HPLC method for the estimation of methylcobalamin in bulk and capsule dosage form. *International Journal of Chemical and Pharmaceutical Sciences*, 2010, 1(2), 13-16.
8. Bhatt KK, Emanuel MP and Aswin M. Simultaneous Estimation of Pregabalin and Methylcobalamin in Pharmaceutical Formulation by RP-HPLC Method. *J Anal Bioanal Techniques*, 4, 2013, 159.
9. Phyllis A. Balch, Prescription for Nutritional Healing, 4th ed., penguin groups, New York, 2006.
10. ICH topic Q2 (R1). Validation of analytical procedures: text and methodology International Conference on Harmonization, Geneva, 4, 2005, 1-1.
11. ICH guidelines. ICH Harmonized Tripartite Guideline Q2 (R1), Validation of analytical procedures: text and methodology, Current Step 4 Version, 2005.

How to cite this article:

Sarojamma.M*, *, P. Sathya Sowmya, H. Abdul Ahad, Rp-HPLC Assay Method Development and Validation for Simultaneous Estimation of Gabapentin and Methylcobalamin in Tablet Dosage Forms, 6 (2): 2546 – 2551 (2015)

All © 2010 are reserved by Journal of Global Trends in Pharmaceutical Sciences.